

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/595,554	04/27/2006	Massimo Sensini	72214	2736
23872 7590 07/10/2007 MCGLEW & TUTTLE, PC		EXAMINER		
P.O. BOX 9227			MILLER, SAMANTHA A	
SCARBOROUGH STATION SCARBOROUGH, NY 10510-9227			ART UNIT	PAPER NUMBER
			3749	
		•		
			MAIL DATE	DELIVERY MODE
•	•	•	07/10/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)			
•		10/595,554	SENSINI, MASSIMO			
	Office Action Summary	Examiner	Art Unit			
		Samantha A. Miller	3749			
Period fo	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPL CHEVER IS LONGER, FROM THE MAILING D nsions of time may be available under the provisions of 37 CFR 1.3 SIX (6) MONTHS from the mailing date of this communication. O period for reply is specified above, the maximum statutory period are to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailine ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be time will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status						
 Responsive to communication(s) filed on <u>27 June 2006</u>. This action is FINAL. 2b) ☐ This action is non-final. Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i>, 1935 C.D. 11, 453 O.G. 213. 						
Dispositi	ion of Claims					
5) □ 6) ⊠ 7) □ 8) □ Applicati	Claim(s) 1-11 is/are pending in the application 4a) Of the above claim(s) is/are withdra Claim(s) is/are allowed. Claim(s) 1-11 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or ion Papers The specification is objected to by the Examine	wn from consideration. or election requirement.	by the Everyiner			
 10) ☐ The drawing(s) filed on 27 April 2006 is/are: a) ☐ accepted or b) ☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. 						
Priority under 35 U.S.C. § 119						
12) ⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ⊠ All b) ☐ Some * c) ☐ None of: 1. ☑ Certified copies of the priority documents have been received. 2. ☐ Certified copies of the priority documents have been received in Application No 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.						
2) Notice	t(s) te of References Cited (PTO-892) te of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) or No(s)/Mail Date 6/27/2006,4/27/2006.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other: <u>English trans</u>	ate atent Application			

Page 2

Application/Control Number: 10/595,554

Art Unit: 3749

DETAILED ACTION

Specification

Content of Specification

- (a) <u>Title of the Invention</u>: See 37 CFR 1.72(a) and MPEP § 606. The title of the invention should be placed at the top of the first page of the specification unless the title is provided in an application data sheet. The title of the invention should be brief but technically accurate and descriptive, preferably from two to seven words may not contain more than 500 characters.
- (b) <u>Cross-References to Related Applications</u>: See 37 CFR 1.78 and MPEP § 201.11.
- (c) <u>Statement Regarding Federally Sponsored Research and Development:</u> See MPEP § 310.
- (d) The Names Of The Parties To A Joint Research Agreement: See 37 CFR 1.71(g).
- (e) Incorporation-By-Reference Of Material Submitted On a Compact Disc:
 The specification is required to include an incorporation-by-reference of electronic documents that are to become part of the permanent United States Patent and Trademark Office records in the file of a patent application. See 37 CFR 1.52(e) and MPEP § 608.05. Computer program listings (37 CFR 1.96(c)), "Sequence Listings" (37 CFR 1.821(c)), and tables having more than 50 pages of text were permitted as electronic documents on compact discs beginning on September 8, 2000.
- (f) <u>Background of the Invention</u>: See MPEP § 608.01(c). The specification should set forth the Background of the Invention in two parts:
 - (1) Field of the Invention: A statement of the field of art to which the invention pertains. This statement may include a paraphrasing of the applicable U.S. patent classification definitions of the subject matter of the claimed invention. This item may also be titled "Technical Field."
 - (2) Description of the Related Art including information disclosed under 37 CFR 1.97 and 37 CFR 1.98: A description of the related art known to the applicant and including, if applicable, references to specific related art and problems involved in the prior art which are

Art Unit: 3749

solved by the applicant's invention. This item may also be titled "Background Art."

- g) Brief Summary of the Invention: See MPEP § 608.01(d). A brief summary or general statement of the invention as set forth in 37 CFR 1.73. The summary is separate and distinct from the abstract and is directed toward the invention rather than the disclosure as a whole. The summary may point out the advantages of the invention or how it solves problems previously existent in the prior art (and preferably indicated in the Background of the Invention). In chemical cases it should point out in general terms the utility of the invention. If possible, the nature and gist of the invention or the inventive concept should be set forth. Objects of the invention should be treated briefly and only to the extent that they contribute to an understanding of the invention.
- (h) <u>Brief Description of the Several Views of the Drawing(s)</u>: See MPEP § 608.01(f). A reference to and brief description of the drawing(s) as set forth in 37 CFR 1.74.
- (i) Detailed Description of the Invention: See MPEP § 608.01(g). A description of the preferred embodiment(s) of the invention as required in 37 CFR 1.71. The description should be as short and specific as is necessary to describe the invention adequately and accurately. Where elements or groups of elements, compounds, and processes, which are conventional and generally widely known in the field of the invention described and their exact nature or type is not necessary for an understanding and use of the invention by a person skilled in the art, they should not be described in detail. However, where particularly complicated subject matter is involved or where the elements, compounds, or processes may not be commonly or widely known in the field, the specification should refer to another patent or readily available publication which adequately describes the subject matter.
- (j) Claim or Claims: See 37 CFR 1.75 and MPEP § 608.01(m). The claim or claims must commence on separate sheet or electronic page (37 CFR 1.52(b)(3)). Where a claim sets forth a plurality of elements or steps, each element or step of the claim should be separated by a line indentation. There may be plural indentations to further segregate subcombinations or related steps. See 37 CFR 1.75 and MPEP § 608.01(i)-(p).
- (k) Abstract of the Disclosure: See MPEP § 608.01(f). A brief narrative of the disclosure as a whole in a single paragraph of 150 words or less commencing on a separate sheet following the claims. In an international application which has entered the national stage (37 CFR 1.491(b)), the applicant need not submit an abstract commencing on a separate sheet if

Art Unit: 3749

an abstract was published with the international application under PCT Article 21. The abstract that appears on the cover page of the pamphlet published by the International Bureau (IB) of the World Intellectual Property Organization (WIPO) is the abstract that will be used by the USPTO. See MPEP § 1893.03(e).

(I) <u>Sequence Listing</u>, See 37 CFR 1.821-1.825 and MPEP §§ 2421-2431. The requirement for a sequence listing applies to all sequences disclosed in a given application, whether the sequences are claimed or not. See MPEP § 2421.02.

Drawings

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the inlet opening, the motor drive, and sensors must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filling date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner,

Art Unit: 3749

the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-11 are rejected under 35 U.S.C. 102(b) as being anticipated by KOSLOWSKI (DE 2702214 A). KOSLOWSKI teaches in the specification and Figs. 1-2 an invention in the same field of endeavor as applicant's invention that is described in the applicant's claims. For page and paragraph reference please refer to the enclosed English translation from the European Patent Office website.

KOSLOWSKI teaches:

1) Apparatus for the air circulation in double-glazed thermo insulated walls, of the type constituted at least by a first internal pane (4) of glass and by a second external pane (5) of glass, positioned parallel to one another and defining a space (8) between them, characterized in that it comprises an air inlet opening in said space, in connection with the inside and positioned at the bottom of said internal pane of glass (Fig.1) (p.3 para.10-11); an air outlet opening (23), in connection with the outside and positioned at the top of said external pane of glass (Fig.1); a tangential fan (22) of reduced size

Art Unit: 3749

extended substantially to the full length of the thermo insulated wall (1) and fitted in a housing (21) (p.3 para.12-13 and p.4 para.1), defined at the top of said space and having a longitudinal opening (19) turned to said space (Fig.1), for the air intake from the inside through the same space, and opened to the outside through said air outlet opening (Fig.1).

- 2) The fan is suited to be driven at low rotational speed by an electrical motor drive fitted at an end of said housing (Fig.1, shows flap (25) in a open position while fan (22) is sucking air and air entering at (24) which means the motor of the fan must be running and a low speed).
- 3) Sensors detecting the hygrothermal conditions of the air (thermostat, p.2 para.7), suited to control the start of said electrical motor drive activating said fan (the thermostat is automatic and connected the ventilation fan sucking system, p.2 para.7 and p.4 para.2-4) (It is noted that since temperature is one of the conditions related to relative humidity, the thermostat senses the hygrothermal conditions).
- 4) The outlet opening of said housing a swinging closing member (25) is fitted in order to prevent air (from outside) from flowing back to the interior environment when said fan is not operative (Fig.1) (p.3 para.13-p.4 para.1).
- 5) The housing is defined by a substantially cylindrical sector (of box 48) shaped by a bearing element (Fig.2) provided, in assembled setting, with a longitudinal opening (19) turned to said space for the air intake through the space itself, and with an opposed opening (23) for the air outlet to the outside.

Page 7

Application/Control Number: 10/595,554

Art Unit: 3749

6) The bearing element (11) is removably constrained to a frame (3) (Fig.1) which is steadily fixed peripherally to said thermo insulated wall (1).

- 7) The frame (3) is steadily fixed to a spacing means (36) fitted between said second external pane of glass and an intermediate pane of glass (Fig.2), parallel to the other one, which is suited to define a room inside the space (Fig.1) (p.1 para.8), which is turned to the outside, for the insertion of a dimming element.
- 8) The frame (3) is provided with an opening (24) turned to the inside, at the top of said space, and with an opposite external hole (23) for the air outlet, being both longitudinally extended to substantially the full length of the same frame (Fig.2)).
- 9) The opening turned to the inside of said frame is closed by a removable inspection door (6) lowerly shaping a groove which is suited to engage the upper edge of said internal pane of glass by the interposition of gasket means (glass (4) sealed by (6) exhibiting gasket means), and upperly shaping a curved portion (curved fingers of (6), Fig.1) which is suited to hook a corresponding folded edge (bottom of 3, Fig.1) of the same frame.
- 10) A modular covering element (32) is fitted externally to said frame (3) extended to the full length of said thermo insulated wall (1) and shapes lowerly a longitudinal opening (50) for the air outlet (Fig.2) (p.4 para.7).
 - 11) The bearing element is constituted by a light metal section (p.4 para.11).

Conclusion

Application/Control Number: 10/595,554 Page 8

Art Unit: 3749

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. As listed on PTO-892.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Samantha A. Miller whose telephone number is 571-272 9967. The examiner can normally be reached on Monday - Thursday 8:00 - 4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steve McAllister can be reached on 571-272-6785. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Samantha Miller

Examiner

Art Unit 3749

6/19/2007 fresh

St B.n. allt

STEVE MCALLISTER
SUPERVISORY PATENT EXAMINER